

บรรณานุกรม

- ขันทกานต์ อังคณวัฒนานนท์. (2540). การสนับสนุนจากคู่สมรส ปัจจัยบางประการ กับความเครียด ในบทบาทของหญิงหลังคลอด (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, มหาวิทยาลัยมหิดล).
- จรรยา หน่อแก้ว. (2536). ความสัมพันธ์ระหว่างการสนับสนุนจากคู่สมรส การรับรู้เกี่ยวกับประสบการณ์ การคลอด และปัจจัยบางประการกับการปรับตัวในการค้าที่ได้รับการผ่าตัดเออาทารกออกทางหน้าท้อง(วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต, มหาวิทยาลัยมหิดล).
- ธีระวุฒิ เอกะกุล. (2550). ระเบียบวิธีวิจัยทางพฤติกรรมศาสตร์และสังคมศาสตร์. (พิมพ์ครั้งที่ 5), อุบลราชธานี: วิทยาอອฟเชทการพิมพ์.
- นงลักษณ์ บุญเยี่ยม. (2537). ความสัมพันธ์ระหว่างปัจจัยคัดสรรกับพฤติกรรมการเผชิญความเครียดในผู้ป่วยภัยหลังการผ่าตัดเปลี่ยนลิ้นหัวใจ (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, มหาวิทยาลัยเชียงใหม่).
- นันทา เล็กสวัสดิ์, สุทธิดา พงษ์พันธ์งาม, นฤมล วงศ์มณีโรจน์ และพิชาณี แสนโนนวงศ์. (2542). ความทุกข์ทรมานของผู้ป่วยหลังการผ่าตัดไขมุ. (รายงานผลการวิจัย). เชียงใหม่: คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.
- นันทา เล็กสวัสดิ์, นฤมล วงศ์มณีโรจน์ และนิตยา วงศ์กลกิจศิลป์. (2543). ระดับความเจ็บปวดของผู้ป่วยขณะที่ได้รับการใส่และคาสายสวนปัสสาวะ. วารสารสภากาเพรยานา, 15(4), 25-39.
- นันทพร แสนศรีพันธ์. (2540). ผลการเยี่ยมก่อนผ่าตัดคลอดและการหน้าท้อง โดยพยาบาลห้องผ่าตัดต่อความวิตกกังวลของหญิงมีครรภ์ (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, มหาวิทยาลัยเชียงใหม่).
- บรรจง จาธุวงศ์. (2551). ความปวด การจัดการกับความปวดและผลของการปวดของผู้ป่วยหลังผ่าตัดซ่องท้องในโรงพยาบาลสระบุรีประสงค์ (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต , มหาวิทยาลัยราชภัฏ).
- บุศрин อี้ยะสีหยก. (2545). ผลของการ โภชต่อการปฏิบัติเพื่อลดความทุกข์ทรมานในผู้ป่วยศัลยกรรมทรวงอก (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, มหาวิทยาลัยเชียงใหม่).
- เรขา กลลดาเรืองไกร. (2551). เอ็นโดฟิน :สารแห่งความสุข[ข้อมูลอิเล็กทรอนิกส์]. นิตยสาร Health today, (91), สืบค้นเมื่อ 24 เมษายน 2556, จาก <http://www.nookjung.com/health/tab>
- รุ่งนภา เตชะกิจ โภศล.(2552). ความเครียดและการเผชิญความเครียดของผู้ป่วยโรคหลอดเลือดสมองในระยะฟื้นฟูสภาพในโรงพยาบาลศิริราช (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, มหาวิทยาลัยศิลปากร).

- วัจมัย สุขวนวัฒน์. (2541). ความรู้สึกมีคุณค่าในตนเอง การรับรู้พฤติกรรมทางราก สัมพันธภาพระหว่างคู่สมรส และการแสดงบทบาทการเป็นมารดาในมารดาัยรุ่นหลังคลอด (วิทยานิพนธ์พยาบาลศาสตร์มหาบัณฑิต, มหาวิทยาลัยมหิดล).
- ศิริจันทร์ ภัทร์วิเชียร. (2547). ผลของโปรแกรมการสอนและการปฏิบัติคนต่อความทุกข์ทรมานของผู้ป่วยที่ใช้เครื่องช่วยหายใจ (วิทยานิพนธ์พยาบาลศาสตร์มหาบัณฑิต, จุฬาลงกรณ์มหาวิทยาลัย).
- สมพร ชินโนรส, มยุรี จิรภิญโญ, และวัญจิตร ปุ่นโพธิ์. (2552). กันayan-ชั้นวานาคม). การจัดการกับความป่วย และความพึงพอใจต่อการจัดการกับความป่วยในผู้ป่วยที่ได้รับการผ่าตัดดมดูกลอกอหงาหงำน้ำท้อง. *วารสารพยาบาลรามาธิบดี*, 15(3), 34-48.
- สุดกัญญา พ็ทวี. (2541). ประสบการณ์ความป่วย และการจัดการกับความป่วยในผู้ป่วยหลังผ่าตัดหัวใจ และตรวจอกชนิดผ่ากลางกระดูกสันออก.(วิทยานิพนธ์พยาบาลศาสตร์มหาบัณฑิต, มหาวิทยาลัยมหิดล).
- อัศนี วันชัย. (2539). ความทุกข์ทรมานและปัจจัยที่มีอิทธิพลต่อความทุกข์ทรมานในผู้ป่วยหลังผ่าตัดเต้านม (วิทยานิพนธ์พยาบาลศาสตร์มหาบัณฑิต, มหาวิทยาลัยเชียงใหม่).
- อุมา เชื้อหอม. (2539). ผลของการเตรียมตัวคลอดต่อความวิตกกังวล ความเจ็บปวด ระยะเวลาคลอด และการรับรู้ประสบการณ์คลอด (วิทยานิพนธ์วิทยาศาสตร์มหาบัณฑิต, มหาวิทยาลัยมหิดล).
- Affonso, D.D., & Stichler, J.F. (1980). Cesarean birth woman's reaction. *American Journal of Nursing*, 80(3), 468-470.
- Arling, G.(1987). Strain, social support and distress in old age.*Journal of Gerontology*, 42(1), 1071-1113.
- Beare,P.G. & Myers, J.L.(1994). Principle and practice of adult health nursing (2nd ed.). St.Louis: Mosby Year Book.
- Closs, J. (1992). Patient's night-time pain, analgesic provision and sleep after surgery. International. *Journal of Nursing Studies*, 29(4),381-392.
- Cox, B.E., & Smith, E.C. (1982). The mother's Selfesteem After Cesarean Delivery. *MCN*,7 (September/October), 310.
- Cronenwett, L.R. (1984). *Relationship among social network structure perceived social support and psychological outcomes of pregnancy* (Doctoral dissertation, the University of Michigan).
- Cronenwett, L.R. & Kunst-Wilson, W. (1981). Stress, social support and the transition to fatherhood. *Nursing Research*, 30, 196-201.

- Dale,F. (1993). Postoperative pain in the elective surgical patient. *British Journal of Nursing*, 2(17), 842-849.
- Davey,D.A.(1994). Postoperative care. In S.C. Dewit (Eds.), *Rombo's nursing skill for clinical practice* (4th ed.), (pp.750-766). Philadelphia: W.B.Saunders.
- Dewit, S.C. (2001). Care of surgical patients. In S.C. Dewit,et al., *Fundamentals concepts and skills for nursing*. (pp.749-775). Philadelphia: W.B.Saunders.
- Edlund, B. & Sneed, N.V.(1989). Emotional responses to diagnosis of cancer: Age-related comparisons. *Oncology Nursing Forum*,16(5),691-697.
- Erniyati, S.(2002). Nurse's caring behavior in pain management as perceived by nurses and patients with postoperative pain in MedanIndonesia. (Master's thesis, Prince of Songkhla University).
- Evans, J.C., & French, D.G. (1995). Sleep and healing in intensive care setting. *Dimensions of Critical Care Nursing*, 14(4), 189-212.
- Fawcett, J. (1984). Need of cesarean birth parent. *JOGN Nursing*, (September-October),372-376.
- Gabbe, S.G., Niebyl, J.R. & Simpson, J.L.(2002). *Obstetrics: Normal and problem pregnancies* (4th ed.). New York: Churchill-Living Store.
- Galloway, S.C. & Graydon, J.E. (1999). Uncertainty, symptom distress, and information needs after surgery for cancer of the colon. *Cancer Nursing*, 19(2), 112-117.
- Good, M., Stanton-Hicks, M., Grass, J.A., Anderson, G.C., Makii, M. & Geras, J. (2000). Pain after Gynecologic surgery. *Pain Management Nursing*,1(3),96-104. Retrieved February 15,2012, from
http://ncbi.nih.gov/entrez/query.fcgi?Cmd=Retrieve&db=PubMed&list_uids=11706465&doptGorrie,
- T.M., Mc Kinney, E.M. & Murray, H.S.(1998). *Foundations of maternal-newborn nursing* (2nd ed.). Philadelphia: W.B.Sounder.
- Gilstrap, L.C., Cunningham, F.G. & Van Dorsten, J.P.(2002). Obstetric hysterectomy. In L.C. Gilstrap, F.G.Cunningham, J.P. VanDorsten (Eds.), *Operative obstetrics (2nd ed.)*, (pp. 275-292). New York: McGraw-Hill.
- Gupta, A.,Perniola, A.,Axelsson,K.,Thorn,S.E.,Crafoord,K., & Rawal,N.(2004). Postoperative pain after abdominal hysterectomy: A double-blind comparison between placebo and local anesthetic infused intraperitoneally. *Anesthesia and Analgesia*, 99(4), 1173-1179.
- Harrison, M.J. & Hick, S.A.(1987). Postpartum concerns of mothers and their sources of: help. *Canadian Journal Publish Health*, 74,325-328.

- Hobson, J.A., Slade, P., Wrench, I.J., & Power, L. (2006). Preoperative anxiety and postoperative satisfaction in women undergoing elective cesarean section. *International Journal of Obstetric Anesthesia*, 15, 18-23.
- Ignatavicius, D.D., Workman, M.L. & Mishler, M.A. (1995). *Medical-surgical nursing: A nursing process approach*. (2nd ed.). Philadelphia: Lippincott.
- Jalowice, A. (1988). Confirmatory factor analysis of the Jalowice coping scale. In C.F. Waltz & O.L. Strickland (Eds.), *Measurement of nursing outcomes* (pp. 287-307). New York: Springer.
- Jalowice, A., & Power, M.J. (1987). Stress and coping in hypertensive and emergency room patients. *Nursing Research*, 30, (January-February), 10-15.
- Johnson, M. (1978). Assessment of clinical pain. In A.K. Jacox (Ed.), *Pain: A source book for nurses and health professionals*. Boston: Little Brown.
- Lazarus, R.S., & Folkman, S. (1984). *Stress, appraisal and coping*. New York: Springer.
- Law, L.W., Pang, M.W., Chung, T.K., Lao, T.T., Lee, D.T., Leung, T.Y., Sahota, D.S. & Lau, T.K. (2010). *The Journal of Maternal-Fetal and Neonatal Medicine*, 23(10), (October), 1106-1113.
- Lemone, P. & Burke, K.M. (2000). *Medical-surgical nursing: Critical thinking in client care*. (2nd ed.), New Jersey: Prentice Hall.
- Lewis, S.M., Heitkemper, M.M. & Dirksen, S.R. (2004). *Medical-surgical nursing: Assessment and management of clinical problems* (6th ed.). St. Louis: Mosby.
- Litwack, K. (2000). Nursing management preoperative patient. In S.M. Lewis, M.M. Heitkemper & S.R. Dirksen. *Medical-surgical nursing: Assessment and management of clinical problems*. (6th ed.), (pp. 355-413). St. Louis: Mosby.
- Lobel, M., Deluca, R.S. (2007). Psychosocial sequelae of cesarean delivery: Review and analysis of their causes and implications. *Social Science and Medicine*, 64(11), 2272-2284.
- Lorenz, H.P., & Longaker, M.T. (2001). Wounds: biology, pathology and management. In J.A. Norton, et al. (Eds.). *Surgery: basic science and clinical evidence*. (pp. 221-239). New York: Springer.
- Marie, J.S., Nancy, F. & Luisa, C. (2010). Women's experience of an emergency caesarean birth. *Journal of Clinical Nursing*, 19, 2824-2831.
- Marex, J.F. & Boehlein, M.J. (1999). Pre-Intra-Postoperative nursing. In W.J. Phipps, J.K. Sands & J.F. Marex (Eds.), *Medical-surgical nursing: Concepts of clinical practice* (6th ed.). St. Louis : Mosby.

- McCorkle,R., & Young, K. (1978). Development of symptom distress scale. *Cancer Nursing*, 1(11), 373-378.
- Marie, J.S.,Nancy, F. & Luisa,C. (2010).Women's experience of an emergency cesarean birth. *Journal of Clinical Nursing*, 19, 2824-2831.
- Meiman, M.C., & Heather, H.(2011). Women's knowledge of options for birth after cesarean section. *J.wombi*. Doi:10.1016.
- Mercer, R.T.(1985). The process of maternal role attainment over the first year. *Nursing Research*, 34(4), 196-202.
- Miller, M.A., Carroll ,S.A.,& Gleeson, S.(2002). Perioperative nursing care. In J.M.Thompson, G.K. McFarland, J.E. Hirsch & S.M. Tucker (Eds.), *Mosby's clinical nursing*. (5th ed.).St.Louis : Mosby.
- Mishler, M.A. (1999). Intervention for postoperative clients. In D.D.Ignatavicius, L.M.Workman, & M.A. Mishler (Eds.), *Medical-surgical nursing across the health care continuum* (3rded.). (pp.361-380), Philadelphia: W.B.Saunders.
- Norbeck, J.S.(1981). Social support: A model for clinical research and application. *Advanced in Nursing Science*, 3, 43-59.
- O'Brien, D. (1994). Post anesthesia care of the gastrointestinal abdominal and anorectal surgical patient. In C.B. Drain (Eds.), *The Post anesthesia care unit: A critical care approach to Post anesthesia nursing* (3rd ed.),(pp. 447-461). Philadelphia: W.B.Saunders.
- Pasero, C. & MaCaffery, M.(2002). Pain in the critically ill. *American Journal of Nursing*, 102(1), 59-60.
- Prasertphol, P.(2001). *Sleep quality of hospitalized elderly undergoing surgery* (Master's thesis, Mahidol University).
- Pillitteri,A.(2010). *Maternal &Child health nursing*. (5th ed.). Philadelphia: Lippincott.
- Polit, D.F., & Beck, C.T. (2012). *Nursing research: generating and assessing evidence for nursing practice*. (9 th ed.). Philadelphia: Lippincott Williams and Wilkins.
- Ponte, P.R.(1992). Distress in cancer patients and primary nurses' empathy skills. *Cancer Nursing*, 15(4), 283-292.
- Porter, M. V., Teijlingen, E., Chi Ying. & Bhattacharya, S. (2007). Satisfaction with cesarean section: Qualitative analysis of open-ended questions in a large postal survey. *Birth*, 34(2), 148-154.

- Potter, P.A.,& Perry, A.G.(1999). Basic nursing: Essentials of practice (4th ed.). St.Louis: Mosby.
- Roehrs, T., Zorick, F. & Roth, T. (1994). Transient and short-term insomnia. In M.H. Kogger, T. Roth &W.C. Dement (Eds.), *Principles and practice of sleep medicine. (2nd ed.)*,(pp. 486-493). Philadelphia: W.B.Saunders.
- Ryding, E.L., Wijma, K. & Wijma, B.(1998). Psychological impact of emergency cesarean section in comparison with elective cesarean section, instrumental, and normal vagina delivery. *Journal of Psychosomatic Obstetrical Gynecology*, 19,135-144.
- Salmon, P. & Kaufman, L. (1990). Preoperative anxiety and endocrine response to surgery. *Lancet*, 335(8701), 1340.
- Shearer, E.L.(1993). Cesarean section: Medical benefit and costs. *Social Science and Medicine*,37(10), 1223-1231.
- Schover, L.R., Yetman, R.J., Tuason, L.J., Meisler, E., Esselstyn, C.B. Hermann, R.E. Broniatowski,S. & Dowden, R.V. (1995).Partial mastectomy and breast reconstruction.*Cancer*,75(1),54-64.
- Sinsheimer, L.M.,& Holland, J.C. (1987). Psychological issues in breast cancer. *Seminars in Oncology*,14(1), 75-82.
- Smeltzer, S.C. & Bare, B.C.(2000). Brunner & Suddarth's textbook of medical-surgical nursing (9th ed.). Philadelphia:Lippincott.
- Tara, D.C.,Habi, D., Alona, H. Colleen, H., &Toni, M. (2009,December,2008/January). Elective cesarean section: Why women choose it and what nurse need to know. *Nursing for Women's Health*, 12(6) ,480-488.
- Thompson, J.F., Roberts, C.L., Currie M. & Ellwood, D.A.(2002). Prevalence and persistence of health problems after childbirth: Associations with parity and method of birth. *Birth*,29(2), 83-94.
- Torrance, C. & Serginson, E. (1997). Surgical nursing (12th ed.). London: Baillire Tindall.
- Turnbull, G.K.,& Vallis, T.M.(1995). Quality of life in inflammatory bowel disease: The interaction of disease activity with psychosocial function. *The American Journal of Gastroenterogy*, 90(9), 1450-1454.
- Waldenstrom, U., Hildingsson, I., Rubertsson, C.,& Radestad, I. (2004, March). A negative birth experience: prevalence and risk factors in a national sample. *Birth*,31.

- Walding, M.F.(1991). Pain, anxiety and powerlessness. *Journal of Advanced Nursing*, 16(9),388-397.
- Weiss, M., Fawcett, J. & Aber, C.(2009).Adaptation, postpartum concerns, and learning needs in the first two weeks after cesarean birth. *Journal of Clinical Nursing*,18,2938-2948.
- Wijma, K., Ryding, E.L. & Wijma, B.(2002). Predicting psychological well-being after emergency cesarean section: a preliminary study. *Journal of Reproductive and Infant Psychology*,20, 25-36.
- William, L.S.(2003). Nursing care of patients having surgery. In L.S. Williams & P.D. Hopper (Eds.), *Understanding medical-surgical nursing (2nd ed.)*,(pp. 615-734). Stamford: Appleton & Lange.